



CEMENT MIXERS

We produce a comprehensive range of cement mixers with innovative designs to suit various applications. Our mixers are produced to stringent quality control to ensure long lasting performance.



A medium duty mini mixer designed for portability and ease of use. Most suitable for small renovation work.

Model: TKMM-3T



A heavy duty mixer designed for professional and rental applications. Simple and effective design that has been used for decades and still remains largely popular. Chassis fabricated from mild steel channels, plates and angles for rigidity.

Model: TK-7TM



A Heavy Duty Mixer designed for professional use. Can be dismantled and shipped in Knocked-down form, saving up to 50% shipping costs.

High capacity (360 liters), well balanced drum for efficient mixing. High discharge height. Tipping position is controlled by hand wheel and can be fixed at various mixing positions.

Model: BS-360D / BS-360G



A heavy duty plaster/mortar mixer is a stationary model. Portable design allows mixer to be easily shifted to required work location.

Model: TKMM-80

Model: TKMM-150

CONCRETE MIXER



TK-7TM, optional with Pneumatic Wheel




Powered by durable and reliable Indian-made 5HP diesel engine. This time-tested design remains the most widely accepted prime mover for concrete mixers.

MODEL	TK-7TM
Drum Volume	300 Liters
Mixing Capacity	200 Liters (7 cu ft)
Drum Speed	24 rpm
Discharge Height	480 mm
Drum Opening	540 mm
Engine	BSA BSV1
Engine Type	Air Cooled Diesel
Maximum Output	5.0 hp / 1000 rpm
Starting System	Hand Crank Starting
Weight	600 kg
Dimensions mm (LxWxH)	2250 x 1150 x 1520

CONCRETE MIXER



BS-360D / BS-360G



- 3 Mixing Blades give greater mixing speed and a more homogeneous mix of cement and aggregates.

- Simple yet strong design of hand tow bar provides high mobility in construction sites.

- Rigid design of tilt lock for various mixing positions

MODEL	BS-360D	BS-360G
Drum Volume	360 liters	360 Liters
Mixing Capacity	200 Liters (7 cu ft)	200 Liters (7 cu ft)
Drum Speed	24 rpm	24 rpm
Discharge Height	610 mm	610 mm
Drum Opening	460 mm	460 mm
Engine	ATLANTA CF178F	Honda GX-200
Engine Type	Air Cooled Diesel	Air Cooled Petrol
Maximum Output	6 hp / 4000 rpm	6.5 hp / 4000 rpm
Starting System	Recoil	Recoil
Weight	372 kg	365 kg
Dimensions mm (LxWxH)	1900 x 1050 x 1600	1900 x 1050 x 1600
Packing Size	30pcs in 1x20'ft container	30pcs in 1x20'ft container

PLASTER/MORTAR MIXER



TKMM-80



TKMM-150



- Special design Mixing Blades and speed give homogeneous mix of cement and aggregates.

MODEL	TKMM-80	TKMM-150
Capacity	75 LITER	150 LITER
Power	1.5 Kw or 2.0 kW	2.2 kW or 4 kW
Voltage	240V or 415V	240V or 415V
Rotating Speed	43 RPM	43 RPM
Weight	120 KG	200 KG
Dimensions	930 x 900 x 1300	1100 x 1100 x 1400

MINI CONCRETE MIXER



TKMM-3T

MODEL	TKMM-3T
Drum Volume	165 Liters
Mixing Capacity	105 Liters
Drum Speed	24 rpm
Discharge Height	150 mm
Drum Opening	400 mm
Engine	Robin EY-20D
Engine Type	Air Cooled Gasoline
Maximum Output	5.0 hp / 4000 rpm
Starting System	Recoil
Weight	88 kg
Dimensions mm (LxWxH)	1500 x 710 x 1120